

The National Mining Association



2020 Mining Facts





If you have turned on a light, entered a building, driven on a road, made a phone call, used a computer, or visited a doctor, then mining is an important part of your life.

Dedicated to our people, the communities in which we live and the environment that nurtures us all, *mining provides the resources for a better future.*

America's Mining at a Glance

537,000

Number of direct mining industry jobs.

1,026,000

Number of indirect jobs generated by the mining industry.

\$80,000+

Average annual salary for a miner, well above the U.S. average wage of \$57,000.

\$111B

Annual U.S. revenues generated through mining.

**Every American
uses an average of**

**40,000
pounds**

**of newly mined
materials every year,
including two tons
of coal.**



Resources for a Better Future

Technologies made possible through and employed by mining stimulate innovation, *providing the necessary resources for a better life and a better future.*

1,000%

Projected increase in demand for minerals needed for future energy technologies, according to the World Bank.

90%

Amount today's power plants have reduced pollutants (SO₂, NOx, particulates and mercury) compared with the plants they replace from the 1970s, while coal use has increased.

4.7 tons

Amount of copper needed for a single wind turbine.

66

Number of minerals used in the average computer.

7%

Amount of global silver demand utilized in the production of solar panels.

0.000002 inches

Thickness of gold film applied to astronauts' visors to reduce glare from intense sunlight. Gold is also used in hundreds of ways in space vehicles.

35%

CO₂ emissions reductions achieved through high efficiency, low emissions coal plants.

28%

Portion of U.S. electricity that comes from coal.

19%

Portion of electricity generated from nuclear energy powered by uranium.

29

Number of minerals it takes to deliver electricity to our homes and businesses.

87%

Portion of U.S. fossil energy reserves (coal, natural gas and oil) that comes from coal on a BTU basis.

\$93B

Amount Americans save in electricity costs annually through a diverse power grid anchored by coal.

24%

Portion of total world coal reserves held by the U.S.—the most of any country.



Resources That Power Our Lives

Electricity should be accessible and affordable to all.

Resource diversification — powered by a mix of domestic coal, natural gas, nuclear power, oil and renewable sources — ensures that U.S. households and businesses can minimize market disruptions and reduce reliance on foreign energy sources.

New technologies, such as advanced coal-fired power generation and carbon capture and storage, will give Americans energy choices that are aligned with environmental and climate objectives without having to sacrifice reliability or affordability.



116,000

Direct coal mining jobs

421,000

Direct minerals mining jobs

289,000

Indirect coal mining jobs

737,000

Indirect minerals mining jobs

\$16,000,000,000

*Total federal, state and local taxes
attributable to mining jobs*

Resources for Our Economy

Mining provides essential power and materials for nearly every industry and consumer product, and supplies low-cost, reliable fuel for homes and businesses across the country.

The mining industry is supported by hundreds of thousands of hardworking Americans. They are deeply proud of the contributions they make to our country each day, fueling America and supplying *the materials that make our high quality of life possible and America a global leader in innovation.*

**What
resources
play a key
role in
your state?**

coal, copper, gold, iron ore, molybdenum, zinc, uranium, lead, rare earths, platinum-group metals, salt, gypsum, silver, nickel, phosphate, boron, limestone, kyanite, beryllium, cobalt, bentonite, bromine, cement, common clays, diatomite, feldspar, gemstones, greensand marl, helium, magnesium metal, palladium, peat, potash, sand and gravel, soda ash, stone, tripoli, wollastonite, zirconium

Alabama

Coal, cement, stone, lime, sand and gravel, kyanite, common clays

Alaska

Coal, zinc, gold, lead, silver, sand and gravel

Arizona

Coal, copper, molybdenum, sand and gravel, cement, stone, silver

Arkansas

Coal, bromine, stone, cement, gypsum, sand and gravel, lime

California

Sand and gravel, cement, boron, stone, gold

Colorado

Coal, uranium, molybdenum, sand and gravel, cement, gold, stone

Connecticut

Stone, sand and gravel, common clays, gemstones

Delaware

Stone, sand and gravel, magnesium, gemstones

Florida

Phosphate rock, stone, cement, sand and gravel, zirconium

Georgia

Clays, kyanite, stone, cement, sand and gravel

Hawaii

Stone, sand and gravel, gemstones

Idaho

Phosphate rock, sand and gravel, silver, lead, stone

Illinois

Coal, sand and gravel, stone, cement, tripoli

Indiana

Coal, stone, cement, lime, sand and gravel

Iowa

Stone, cement, gypsum, sand and gravel, lime

Kansas

Coal, helium, cement, salt, stone, sand and gravel, gypsum

Kentucky

Coal, stone, lime, cement, sand and gravel, common clays

Louisiana

Coal, salt, sand and gravel, stone, lime

Maine

Sand and gravel, cement, stone

Maryland

Coal, cement, stone, sand and gravel

Massachusetts

Stone, sand and gravel, lime, common clays

Michigan

Iron ore, cobalt, cement, nickel concentrates, stone, sand and gravel, salt

Minnesota


Iron ore, sand and gravel, stone, lime

Mississippi


Coal, sand and gravel, stone, clays (fuller's earth, ball, bentonite)

Missouri

Coal, cement, stone, lead, lime, sand and gravel



Major mined products from your state



Montana

Coal, palladium, molybdenum, copper, platinum, gold

Nebraska

Cement, sand and gravel, stone, lime

Nevada

Gold, copper, silver, lime, diatomite, sand and gravel, stone, gypsum

New Hampshire

Sand and gravel, stone, gemstones

New Jersey

Stone, sand and gravel, greensand marl, peat

New Mexico

Coal, copper, potash, sand and gravel, cement, salt, molybdenum

New York

Salt, stone, sand and gravel, cement, wollastonite

North Carolina

Stone, phosphate rock, sand and gravel, feldspar

North Dakota

Coal, sand and gravel, stone, lime, common clays

Ohio

Coal, stone, salt, sand and gravel, lime, cement

Oklahoma

Coal, stone, cement, sand and gravel, helium, gypsum

Oregon

Coal, cement, stone, lime, sand and gravel, common clays

Pennsylvania

Coal, stone, cement, lime, sand and gravel

Rhode Island

Sand and gravel, stone, gemstones

South Carolina

Cement, stone, sand and gravel

South Dakota

Gold, cement, sand and gravel, stone, lime

Tennessee

Coal, stone, zinc, cement, sand and gravel, clays

Texas

Coal, stone, gypsum, sand and gravel, cement, salt, lime

Utah

Coal, molybdenum, copper, magnesium metal, potash, salt, beryllium

Vermont

Stone, sand and gravel, talc, gemstones

Virginia

Coal, stone, cement, sand and gravel, lime, zirconium concentrates

Washington

Sand and gravel, stone, gold, cement, zinc, diatomite

West Virginia

Coal, stone, cement, lime, sand and gravel

Wisconsin

Sand and gravel, stone, lime

Wyoming

Coal, soda ash, bentonite clays, helium, uranium, sand and gravel, cement



Resources for America's Infrastructure

America's miners play an indispensable role in powering and building our nation.

From foundations to roofs, power plants to wind farms, roads and bridges to communications grids and data storage centers — America's infrastructure projects begin with mining.

Roads, railways, appliances, buildings, stadiums, bridges,

airports and other structures are supported by steel — a material dependent on mining. Even structures using concrete employ steel for reinforcement. And copper's flexibility, conformity, thermal and electric conductivity, and resistance to corrosion make it an ideal industrial metal.

98%

Portion of the iron ore mined in the world that is used to make steel, the foundation of the world's tallest buildings.

44%

Portion of U.S. copper demand that goes to the construction industry.

6 billion

Tons of steel used in the U.S. National Highway System.

439 lbs

Amount of copper used in the average American home.

57,000 tons


Steel contained in the Empire State Building, which also includes 730 tons of aluminum and stainless steel.

65%

Portion of global zinc consumption used to coat steel, making it highly resistant to corrosion.

70%

Percentage of the world's steel produced using coal.



750,000

Tons of minerals that are used by the U.S. Department of Defense each year in technologies that protect our troops.

\$6B

Value of minerals the U.S. imports from foreign countries, despite being home to reserves estimated at \$6.2 trillion.

9%

Amount of U.S. beryllium production utilized in defense applications each year.

47

Number of key mineral resources on which the U.S. remains 50 percent or more import-reliant, subjecting our supply chains to geopolitical instability and supply disruption.

Resources for Our National Security

Metals and minerals are essential elements for safeguarding our nation.

Our Armed Forces rely on domestic metals and minerals for sophisticated weapons systems and safe transport of our troops. And our abundant supplies of metals and minerals minimize our reliance on foreign countries for these vital resources.

Despite being home to one of the world's leading minerals reserves, cumbersome permitting processes contribute to the U.S. remaining import-dependent for many key minerals.

Caring for Our People

Ensuring the safety and health of our colleagues is a core value of the mining industry.

The goal? Zero fatalities and injuries.

To achieve our shared goal, we go beyond what is required by regulations.

To accelerate the pace of mine safety improvement, the U.S. mining industry has taken voluntary steps to implement best practices that encourage a culture of safety.

By identifying and eliminating potential hazards and deploying state-of-the-art technology, the National Mining Association, its members and respected industry safety and health professionals have developed CORESafety®, an award-winning safety framework that is bringing more miners home safely after every shift, giving mining a lower nonfatal injury and illness record than manufacturing, construction or private industry.

2019

Safest year in U.S. mining history.

52%

Portion by which injuries in U.S. mines have been reduced over the last 15 years.

49%

Portion by which fatalities in U.S. mines have been reduced over the last 15 years.

Caring for the World

Natural resources are at the heart of mining — environmental stewardship is imperative.

Today's mining projects begin with extensive environmental and engineering studies, public involvement in major decision-making, and compliance with scores of state and federal laws and regulations governing every facet of the environment, from wildlife habitat protection to water quality monitoring. They end with land reclamation that transforms sites for recreation, wildlife enhancement and other local community needs.

Building on the extraordinary environmental progress made in recent decades, the industry is committed to advancing technologies that make the use of our resources cleaner and more efficient. Today's technologies are making combustion of coal more efficient, with reduced emissions. And ongoing advancements in high efficiency, low emission (HELE) coal technologies and carbon capture and storage (CCS) hold promise for the future.

90%

Portion by which today's new coal-fueled power plants have reduced emissions (SO₂, NO_x, particulates and mercury).

3 million

Acres of mined land that have been restored by U.S. mining companies.

\$10B+

Amount the U.S. mining industry has paid to reclaim mines that were abandoned prior to laws requiring reclamation.

Speaking of Mining: Key Industry Terms

Alloy: A substance with metallic qualities that is composed of two or more chemical elements, of which at least one is an elemental metal.

Anthracite: See “ranks of coal.”

Auger mining: Form of underground mining that uses an auger (rotary drill) to penetrate, break and transport drilled material onto a waiting conveyor belt. Usually employed to recover remaining material in deep overburden areas that cannot be reached economically by further contour or area mining.

Base metals: Any of the non-precious metals. Copper, lead and zinc are usually considered the primary base metals, but tin, aluminum and magnesium are also among those important to modern society.

Bioleaching: Addition of naturally occurring bacteria to extract or remove a soluble substance from ore.

Bituminous coal: See “ranks of coal.”

Bond: A prerequisite for obtaining a mining permit, companies must post a reclamation bond to ensure sufficient funds to restore a site in the event a company fails to complete the reclamation plan approved in the permit.

Btu: British thermal unit. This is a measure of the energy required to raise the temperature of one pound of water one degree Fahrenheit. On average, coal contains about 20 million Btu per ton.

Bullion: Mixture of gold and silver in cast bars. Also called dore.

Captive mine: A mine whose resource is used largely or totally by its owners or a subsidiary operation.

Clean coal technologies: A number of innovative technologies designed to use coal in a more efficient and cost-effective manner, while enhancing environmental protection. These include processes applied before, during and after combustion, and involve those which change coal into a gas or liquid.

Coal seam: A bed or stratum of coal. Usually applies to a large deposit.

Coke: A hard, dry carbon substance produced by heating coal to a very high temperature in the absence of air. Coke is used in the manufacture of iron and steel.

Concentrate: The result of separating ore or metal from its containing rock or earth.

Continuous miner/mining: A mining machine and technique that removes coal from the face and loads it onto cars or conveyors without the use of cutting machines, drills or explosives and without interrupting the loading process. Can be highly automated and operated by remote control.

Conventional mining: A deep mining method that includes inserting explosives in a seam, blasting the seam and removing the material onto a conveyor or

shuttle car. Accounts for about 9 percent of total underground coal production.

Demonstrated reserves: Deposits that are potentially minable on an economic basis with existing technology.

Dragline: A large excavation machine used in the surface mining process to remove overburden (see “overburden”). The dragline has a large bucket suspended from the end of a huge boom (275 feet long or larger) that is capable of scooping up vast amounts of overburden as it is dragged across the excavation area. The dragline, which can “walk” on huge pontoon-like “feet,” is one of the largest land-based machines in the world.

Drift mine: A mine entered directly through a horizontal opening drilled into the side of a hill or mountain. This mining method is used in hilly or mountainous areas.

Electrostatic precipitator: An electrical device used in removing particles (see “fly ash”) from combustion gases prior to release from a power plant’s stack.

Excavator: A large number of power-operated digging and loading machines, used increasingly in open-pit mining and quarrying.

Face: The exposed area of a coalbed from which coal is extracted.

Flotation: Separating ore from waste materials by floating away the materials of lower specific gravity, while the heavier materials sink.

Fluidized-bed combustion: Process to remove sulfur from coal combustion and limit the formation of nitrogen oxides (see “clean coal technologies”). The process involves suspending crushed coal and limestone in the bottom of a boiler by an upward stream of hot air. While the coal is burned in this liquid-like mixture, sulfur from combustion gases combines with

the limestone to form a solid compound recovered with the ash.

Fly ash: Particles of ash entrained in gases resulting from the combustion of fuel. At coal-fired power plants, fly ash is captured by special equipment, usually either electrostatic precipitators or baghouses. Fly ash and other forms of coal ash are useful by-products — about 25 million tons are used each year in major concrete projects, such as highway construction.

Fossil fuel: Fuel such as coal, crude oil or natural gas, formed from the fossil remains of organic material.

Gasification: Any of various processes by which coal is turned into low, medium or high-Btu gas.

General Mining Law: The primary statute that governs the right to mine locatable minerals on unappropriated public domain lands. Though enacted in 1872, it has been amended many times.

Hardrock minerals: Locatable minerals that are neither leasable minerals (coal, oil, phosphate, etc.) nor saleable mineral materials (sand and gravel, etc.). Hardrock minerals include copper, lead, zinc, magnesium, nickel, tungsten, gold, silver, bentonite, barite, feldspar, fluorspar and uranium.

Highwall: Unexcavated face of exposed overburden and coal in a surface mine or in a face or bank on the uphill side of a contour mine excavation.

In situ gasification: The gasification of underground coal deposits through partial combustion.

Leaching: The action of percolating liquid in order to remove the soluble parts. For example, cyanide leaching of gold is a process where a weak cyanide solution is percolated through low-grade

ore heaped on an impermeable liner. Gold is then extracted from the liquid in a closed-loop system.

Lignite: See “ranks of coal.”

Liquefaction: The process of converting coal into a synthetic liquid fuel, similar in nature to crude oil and/or refined products, such as gasoline.

Locatable minerals: Those minerals — primarily metallic — that can be claimed and mined on public lands under the General Mining Law of 1872; these do not include coal, oil, phosphate sodium, sulfur, or sand and gravel.

Longwall miner/mining: A deep mining machine and technique that uses a steel plow or rotating drum, which is pulled mechanically back-and-forth across a long face of coal to loosen it and collect the product on a conveyor for removal from the mine.

Metallic minerals: Minerals with a high specific gravity and metallic luster, such as titanium, rutile, tungsten, uranium, tin, lead and iron. In general, metallic minerals are good conductors of heat and electricity.

Metallurgical coal: Various grades of coal suitable for carbonization to make coke for steel manufacture.

Minerals: Scientific: naturally formed inorganic solids (elements or chemical compounds) with a limited range in chemical composition and with orderly internal atomic arrangements that determine crystalline structure and physical properties. Legal: organic or inorganic substances occurring naturally, with characteristics and economic uses that bring them within the purview of mineral laws; substances that may be obtained under the applicable laws from public lands by purchase, lease or claim.

Mining claim: That portion of the public mineral lands that a person may claim for mining purposes in accordance with the General Mining Law of 1872, as amended. There are four types of mining claims: lode, placer, millsites and tunnel sites. Only tunnel sites may not be patented under current law.

Mountaintop mining: A method of surface mining practiced in the Appalachian coal fields of the eastern United States. Mountaintop mining allows the mine operator to completely remove layers of dirt and rock covering a coal seam, making the entire deposit economical for extraction. Valley fill — the depositing of rock and dirt from the surface mine into adjacent valleys — is a practice that is not unique to the mining industry; hundreds of valley fills were constructed throughout the country during the building of the Interstate Highway System.

Non-metallic minerals: Minerals (carbon, diamond, coals, bitumen, asphalt, boron, sulfur, rock salt, etc.) that lack the properties of the metallic minerals.

Non-renewable resources: Resources that are not replaced or regenerated naturally within a reasonable period of time, such as fossil fuels or minerals.

Open pit: A mine or excavation open to the surface. Refers primarily to mines of metal ores; distinguished from coal surface mines.

Ore: Rock that contains important minerals, including metals.

Outcrop: Coal that appears at or near the surface.

Overburden: Layers of earth and rock covering a coal seam or mineral deposit.

Patent: A government deed; a document that conveys legal title to public lands to the patentee.

Placer deposit: An alluvial marine or glacial deposit resulting from the crumbling and erosion of solid rocks, and often containing valuable minerals.

Portal: Entrance to a mine.

Preparation plant: A facility, usually located on a mine site, which crushes, sizes and washes material prior to shipment.

Ranks of coal: The classification of coal by degree of hardness, moisture and heat content. The major ranks, from lowest to highest quality, are lignite, subbituminous, bituminous and anthracite.

Reclamation: The restoration of land and environmental values to a mining site after mining occurs.

Recoverable reserves: Portion of reserves that can be economically and physically mined using current techniques after allowing for normal mining losses.

Reserves: Known identified resources from which a usable commodity can be technologically, economically and legally extracted using current mining techniques.

Rock dusting: The process of coating tunnels in deep mines with powdered limestone to dilute potentially unhealthy or dangerous concentrations of dust and minimize fire hazards.

Roof bolting: A method of supporting the ceilings of underground mines by inserting long steel bolts into holes bored into the strata forming the roof.

Scrubber: Any of several forms of chemical/physical devices that remove sulfur compounds formed during coal combustion. Technically known as flue gas desulfurization systems, they combine the sulfur in gaseous emissions with another chemical medium to form an inert sludge.

Slope mine: A mine with an opening that slopes upward or downward to the seam. It must also have adjoining vertical shafts for air ventilation and emergency use.

Smelter: A furnace in which raw materials are melted, and metals are separated from impurities.

Stope: An excavation from which ore has been removed in a series of steps.

Strategic minerals: Those minerals considered essential for a country's economic and defense needs, such as metals for defense weapons, satellite communications, automobile parts and medical instruments.

Subbituminous coal: See "ranks of coal."

Surface mine: A mine in which the coal lies near the surface and can be extracted by removing the covering layer of overburden.

Tailings: The waste material left over after hardrock mining and milling processes have been completed.

Tipple: A surface processing structure for cleaning and sizing coal and automatically loading it onto rail cars or trucks for movement to market.

Underground mine: Also known as a deep mine. Usually located several hundred feet below the earth's surface, materials are removed mechanically and transferred by shuttle car or conveyor to the surface.

Unit train: A long train of between 60 and 150 or more hopper cars, carrying only coal between a single mine and destination. A typical unit train can carry at least 10,000 tons of coal in a single shipment.

The National Mining Association (NMA) is U.S. mining's advocate in Washington, D.C. and beyond. NMA is the only national trade organization that represents the interests of mining before Congress, the administration, federal agencies, the judiciary and the media — providing a clear voice for U.S. mining. NMA's mission is to build support for public policies that will help America fully and responsibly utilize its coal and mineral resources.

NMA has a membership of more than 250 corporations and organizations involved in various aspects of mining. NMA provides a forum for these diverse industry segments to be informed, heard and represented.

101 Constitution Avenue NW, Suite 500E
Washington, D.C. 20001